

FR




FEATURES & BENEFITS

The V-21 refrigeration system provides superior cooling performance while using less energy



24 volt, DC motors
No micro switches
No timing cams
Motors installed with only 2 screws



V-21 offers fast setup
- Converting columns from bottles to cans has never been easier



- No shims, no spacers, no gauge bars, no gauge bar clips and no cams to adjust

- Simply move the back spacer, adjust the product slide and select the appropriate depth setting ***



- **Attractive** - Well-lit product display for maximum customer appeal
- **Easy to Maintain** - Quick disconnects at selection buttons and lights for fast servicing
- **Flexible** - Shimless vending of bottles and cans provides for optimal product mix and maximum vending profits
- **Dependable** - Time tested design ensures reliable and flawless vending, giving owners peace of mind
- **Security** - Lower 1/3 metal panel for protection and stability (flat front only)
 - Lower hinge hook assembly completely enclosed to help prevent vandal attacks
 - The V-21 anti-theft hopper is designed for easy access to vended packages
 - Reinforced top hinge plate with deadbolt for increased security
- **User-Friendly** - Conveniently located selection buttons and individual pricing label area directly below each displayed product
- **Sold Out/Ready to Vend Lights*** - Flash while vending to clearly identify activity (* only available on Cold Drink Model)
- **Refrigeration System** - The condenser and evaporator use copper and aluminum construction which reduces energy consumption. The V-21 fan blades are shrouded to greatly reduce audible noise and improve performance.

BRING PRODUCTS TO LIFE WITH V-21 LIVE DISPLAY...



Rugged top retainer ensures consistent product alignment every time door is closed

Modular power cord positioned for easy access from front of machine

Door-to-cabinet roller assembly for smooth door closure

Slide out loading rack allows for greater access to the columns during product loading

Epoxy coated vend chute for smooth product delivery

One piece air dam with integral condensation gutter

LIVE DISPLAY



REFRESH MODEL



COLD DRINK MODEL

V-21 TRADE




OPTIONAL GRAPHICS



SPECIFICATIONS

621



721 *(Live Display pictured)*



821



V-21 Model Number	621	721	821
Total Can/PET Capacity	544/240	680/300	800/360
Selections/Columns	8	10	10
Dimensions* - H x W x D			
Curved Front	N/A	72" x 39.5" x 34.75"	79" x 39.5" x 34.75"
Flat Front	72" x 32.5" x 31.5"	72" x 39.5" x 31.5"	79" x 39.5" x 31.5"
Live Display - Curved Front	N/A	72" x 39.5" x 34.75"	N/A
Live Display - Flat Front	72" x 32.5" x 31.5"	72" x 39.5" x 31.5"	N/A
Shipping Weight*	620 lbs.	650 lbs.	710 lbs.
Capacity per Column			
12 oz. / 355 ml. Can	68	68	80
16 oz. / 473 ml. Glass	30	30	36
20 oz. / 591 ml. PET**	30	30	36

* Dimensions and shipping weight will vary slightly.

** 20 oz PET capacity may vary based on shape and size of bottle.

*** This is a demonstration module for photographic purposes only. It is not an actual "V-21" column.

REV: 04/10



SandenVendo America, Inc.
 10710 Sanden Drive, Dallas, TX 75238
 P: 214.765.9066 F: 214.340.8029
 P: 800.344.7216 F: 800.541.5684
 www.vendoco.com

SandenVendo America, Inc. offers a complete line of parts, accessories, supplies and add-on security devices - call for more information.

